

	r DIN 4102 B1 Pipe-1600 Capsule r Compression PP 32mm x 1 1/4"(M) 16bar daptor F BSP nut - 1_1/4 x 25mm Dia. Grommet Dia OSMA End Cap Dia. Pipe PVC OSMA De-sludge pipe Pump Bottle (*Optional) turn Valve C Approved by DEP A Approved
2       27.04.22       CW       EP       DE       ISSUED FOR INFORMATION       Checked by       28/09/2021       Checked by       28/09/2021         REV       DATE       BY       CHKD       APPD       DESCRIPTION       Solido Smart 10PE -         Image: Checked by       DO NOT SCALE       TOLERANCES (unless noted otherwise)       THIS DRAWING IS THE PROPERTY OF       Solido Smart 10PE -         Image: Checked by       DO NOT SCALE       TOLERANCES (unless noted otherwise)       CHIS DRAWING IS THE PROPERTY OF       PREMIER TECH WATER & ENVIRONMENT AND IS NOT TO BE       Solido Smart 10PE -         Image: Checked by       ALL DIMENSIONS IN MM       ANGULAR DIMENSIONS : +/- 1/2~       PREMIER TECH WATER & ENVIRONMENT AND IS NOT TO BE       Solido Smart 10PE - Pumped -	28/09/2021 PE - Pumped - VS20




	6		I	5	I	4	$\forall$		3	I	2
D C A B	HIGH L	(11 I) I) EVEL ALARM (1)					<u>(</u>	3			2
										CW	
~	2 25.04.22	CW EP		D FOR INFORMATION					Designed by	22/09/2021	Checked by
	REV DATE	BY CHKD		RIPTION					-		S
	${}{}{}{}{}{}{}$	DO NOT IF IN DOU ALL DIMENSI	BT ASK	TOLERANCES (unles GENERAL LINEAR ANGULAR DIMEN	2 DIMS : +/- 5mm	THIS DRAWING PREMIER TECH WATER & COPIED IN PART OR WHOI	G IS THE PROPERTY ( ENVIRONMENT AND LE WITHOUT WRITTEN	OF IS NOT TO BE N PERMISSION	T	REMIER -	Solido
	6			5		4	$\Delta$		3		2

		1	_				
	PARTS LIST						
ITEM	QTY	DESCRIPTION					
1	1	Millenium Shell 4m3	1				
2	1	Spacer Ring					
3	1	VS20 Shaft Extension	D				
4	1	Thermo Top Cover					
5	1	160 Dia. Grommet					
6	1	150mm Dia. OSMA End Cap					
7	1	Tube Diffuser					
8	1	Cable Retaining Clip Float					
9	2	110 Dia. Grommet					
10	1	Airlift	┝				
11	1	Capsule					
13	1	Inlet & De-sludge Pipe					
14	1	110mm Dia. Pipe PVC OSMA					
15	1	Sampling Pod & Outlet					

IC.

4


B



EP 22/09/2021	Approved by 22	EP 2/09/2021	A		
Solido Smart 10PE - Gravity - VS20					
o Smart 10PE - Gravity -	Page: 2/2				
	1		,		

1       1				ITEMQTYDESCRIP11Millenium Shell 3m321Spacer Ring31VS20 Shaft Extension41Thermo Top Cover51160mm Dia. Grommet61150mm Dia OSMA End Cap72110mm Dia. Grommet91Blower Capsule101DN68 DIN 4102 B1 Pipe-14111Diffuser121Adaptor Compression PP 32131Hose Adaptor F BSP nut - 1141110mm Dia. OSMA End Cap151160mm Dia. Pipe PVC OSM161110mm Dia. Pipe PVC OSM211SMART Pump261Sample Bottle (*Optional)271Non-return Valve	D D D D D D D D D D D D D D D D D D D
2       26.04.22       CW       EP       DE       ISSUED FOR INFORMATION       Designed by       24/09/2021       Checked by       24/09/2021       Approved by       24/09/202         REV       DATE       BY       CHKD       APPD       DESCRIPTION       DESCRIPTION       Solido Smart 8PE - Pumped - VS20       Solido Smart 8PE - Pumped - VS20       Page:         V       DATE       DO NOT SCALE IF IN DOUBT ASK ALL DIMENSIONS IN MM       TOLERANCES (unless noted otherwise) GENERAL LINEAR DIMS : +/- 5mm ANGULAR DIMENSIONS : +/- 1/2~       THIS DRAWING IS THE PROPERTY OF PREMIER TECH WATER & ENVIRONMENT AND IS NOT TO BE COPIED IN PART OR WHOLE WITHOUT WRITTEN PERMISSION       Solido Smart 8PE - Pumped - VS20       Page:					В
REV       DATE       BY       CHKD       APPD       DESCRIPTION         Image: Dot NOT SCALE       DO NOT SCALE       TOLERANCES (unless noted otherwise)       THIS DRAWING IS THE PROPERTY OF       Solido Smart 8PE - Pumped - VS20         Image: Dot NOT SCALE       Image: Dot NOT SCALE       TOLERANCES (unless noted otherwise)       THIS DRAWING IS THE PROPERTY OF       PREMIER TECH WATER & ENVIRONMENT AND IS NOT TO BE       Solido Smart 8PE - Pumped - VS20         Image: Dot Not Scale       Image: Dot Not Scale       Image: Dot Not Scale       ToleRances (unless noted otherwise)       PREMIER TECH WATER & ENVIRONMENT AND IS NOT TO BE       Solido Smart 8PE - Pumped - VS20       Page:				hockod by	
DO NOT SCALE       TOLERANCES (unless noted otherwise)       THIS DRAWING IS THE PROPERTY OF       PREMIER TECH WATER & ENVIRONMENT AND IS NOT TO BE       Solido Smart 8PE - Pumped - VS20         IF IN DOUBT ASK       ANGULAR DIMENSIONS IN MM       MAGULAR DIMENSIONS : +/- 1/2~       THIS DRAWING IS THE PROPERTY OF       Solido Smart 8PE - Pumped - VS20       Page:				24/09/2021	
	DO NOT SCALE TOLERANC	LINEAR DIMS : +/- 5mm PREMIER TECH WATER & ENVIRONMENT	RTY OF AND IS NOT TO BE RITTEN PERMISSION		Page: 2/2
		4	3	2	1

		1	_
		PARTS LIST	]
ITEM	QTY	DESCRIPTION	
1	1	Millenium Shell 3m3	1
2	1	Spacer Ring	
3	1	VS20 Shaft Extension	
4	1	Thermo Top Cover	D
5	1	160mm Dia. Grommet	
6	1	150mm Dia OSMA End Cap	
7	2	110mm Dia. Grommet	
9	1	Blower Capsule	
10	1	DN68 DIN 4102 B1 Pipe-1450	
11	1	Diffuser	
12	1	Adaptor Compression PP 32mm x 1 1/4"(M) 16bar	
13	1	Hose Adaptor F BSP nut - 1_1/4 x 25mm	L
14	1	110mm Dia OSMA End Cap	
15	1	160mm Dia. Pipe PVC OSMA	
16	1	110mm Dia. Pipe PVC OSMA	
21	1	SMART Pump	
26	1	Sample Bottle (*Optional)	
27	1	Non-return Valve	




6		5		4	$\nabla$	3		2
7 (1) HIGH	10 LEVEL ALARM- 8				5			
		JED FOR INFORMATION				Designed by	06/10/2021	Checked by
	DO NOT SCALE IF IN DOUBT ASK ALL DIMENSIONS IN MM	TOLERANCES (unles GENERAL LINEAR	DIMS : +/- 5mm	THIS DRAWING PREMIER TECH WATER & E COPIED IN PART OR WHOLE	IS THE PROPERTY OF NVIRONMENT AND IS NOT TC WITHOUT WRITTEN PERMISS		REMIER -	Soli

4

		1				
PARTS LIST						
ITEM	QTY	DESCRIPTION				
1	1	Millenium 3m3 Shell				
2	1	Spacer Ring				
3	1	VS20 Shaft Extension				
4	1	Thermo Top Cover	D			
5	1	160mm Dia. Grommet				
6	1	150mm Dia. OSMA End Cap				
7	2	110mm Dia. Grommet				
8	1	Airlift				
9	1	Diffuser				
10	1	Capsule				
11	1	Sampling Pod & Outlet				
12	1 Inlet & De-sludge pipe					
13	1	110mm Dia. Pipe PVC OSMA				

╡





EP	Approved by	EP					
06/10/2021	06	/10/2021					
Solido Smart 8PE - Gravity - VS20							
olido Smart 8PE - Gravit	Page: 2/2						
	1		-				